

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190

**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016

**Sample Description** Clients Ref : "Prestige Engineered European Oak Flooring/Cladding"  
Timber veneer faced plywood  
Colour : Oak  
End Use : Vertical Cladding  
Nominal Composition : Oak/Plywood  
Nominal Mass per Unit Area/Density : 630kg/m<sup>3</sup>  
Nominal Thickness : 21mm

### AS/NZS 3837-1998

Method of Test for Heat and Smoke Release Rates for Materials and Products using an Oxygen Consumption Calorimeter

	Specimen			Mean	
	1	2			
Average Heat Release Rate	61.8	48.5	58.5	56.2	kW/m <sup>2</sup>
Average Specific extinction area	12.0	9.3	20.5	13.9	m <sup>2</sup> /kg

(according to Specification C1.10 of the Building Code of Australia)

Test orientation : Horizontal

	Specimen			Mean	
	1	2			
Irradiance	50	50	50	50	kW/m <sup>2</sup>
Exhaust flow rate	24	24	24	24	L/sec
Time to sustained flaming	35	34	38	36	sec
Test duration	3600	3600	3600	3600	sec

35388

12392

Page 1 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190

**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016

Peak heat release after ignition	198.4	204.1	232.2	211.6	kW/m <sup>2</sup>
Average heat at 60 s	132.8	133.0	132.7	132.8	kW/m <sup>2</sup>
Average heat at 180 s	126.6	121.0	121.3	123.0	kW/m <sup>2</sup>
Average heat at 300 s	125.5	115.9	124.8	122.1	kW/m <sup>2</sup>
Total heat released	220.1	172.8	208.3	200.4	MJ/m <sup>2</sup>
Average effective heat of combustion	13.7	10.9	12.6	12.4	MJ/kg
Initial thickness	21.0	21.0	21.0	21.0	mm
Initial mass	145.2	146.8	151.5	147.8	g
Mass remaining	14.2	17.8	17.3	16.4	g
Mass percentage pyrolysed	90.2	87.9	88.6	88.9	%
Mass loss	131.0	129.0	134.2	131.4	g
Average rate of mass loss	4.5	4.5	4.6	4.5	g/m <sup>2</sup> .s

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for assessment of performance under real fire conditions.

The results reported herein shall not be used to derive a Group Number in accordance with the NCC without undertaking validation of the performance that is predicted.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescent sample within the sample holder.

35388

12392

Page 2 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190


**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016

**Specimen :** 1


Heat release rate (kW/m<sup>2</sup>)




Effective heat of combustion (MJ/kg)



Smoke production rate ([m<sup>2</sup>/s])



Specific extinction area (m<sup>2</sup>/kg)



35388

12392

Page 3 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190

**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release (l/m<sup>2</sup>/s)/m<sup>2</sup>)



35388

12392

Page 4 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190


**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016

**Specimen :** 2


Heat release rate (kW/m<sup>2</sup>)




Effective heat of combustion (MJ/kg)



Smoke production rate ([m<sup>2</sup>/s])



Specific extinction area (m<sup>2</sup>/kg)



35388

12392

Page 5 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190

**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s]/m<sup>2</sup>)



35388

12392

Page 6 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


## TEST REPORT

**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190


**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016

**Specimen :** 3


Heat release rate (kW/m<sup>2</sup>)




Effective heat of combustion (MJ/kg)



Smoke production rate ([m<sup>2</sup>/s])



Specific extinction area (m<sup>2</sup>/kg)



35388

12392

Page 7 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT


**Client :** Homemirus Pty Ltd T/As Preference Floors  
A/31-39 Sturt Street  
Smithfield NSW 2190

**Test Number :** 16-002578  
**Issue Date :** 17/06/2016  
**Print Date :** 17/06/2016


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s]/m<sup>2</sup>)



35388

12392

Page 8 of 8

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025  
- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.